

# PATENT ABSTRACTS OF JAPAN

(11)Publication number : 09-135933

(43)Date of publication of application : 27.05.1997

(51)Int.Cl.

A63B 53/04

(21)Application number : 07-295840

(71)Applicant : CHIN KUYU

(22)Date of filing : 14.11.1995


(72)Inventor : CHIN KUYU

## (54) GOLF CLUB HEAD

### (57)Abstract:

PROBLEM TO BE SOLVED: To sufficiently show up the cavity effect improving the face rigidity.

SOLUTION: A dent 4 is formed on the back face side of a head main body 3 remaining a thick periphery part, a band shaped reinforcing bridge 5 is formed from the top side 3a of the thick periphery part to the sole side 3c to form a gap between the reinforcing bridge and the dent, and the top part of the reinforcing bridge is wider than the sole part of the reinforced bridge. A weight may be equipped on the reinforcing bridge.



## LEGAL STATUS

[Date of request for examination] 26.03.1996

[Date of sending the examiner's decision of rejection]

[Kind of final disposal of application other than the examiner's decision of rejection or application converted registration]

[Date of final disposal for application]

[Patent number]

2670435

decision of rejection]

[Date of extinction of right]

04.07.2000

Copyright (C); 1998,2000 Japan Patent Office


## \* NOTICES \*

Japan Patent Office is not responsible for any damages caused by the use of this translation.


1. This document has been translated by computer. So the translation may not reflect the original precisely.
2. \*\*\*\* shows the word which can not be translated.
3. In the drawings, any words are not translated.

## DRAWINGS


[Drawing 1]




[Drawing 2]




[Drawing 3]




[Drawing 4]



[Drawing 5]



[Drawing 6]



---

[Translation done.]